



Ideal for many lighting uses. Fixture can be configured with either T8's or T5's in 1 or 2 lamp formats. Used for general lighting or increasing light levels. Reflector is computer-designed for optimized efficiency and allows tool-free access to ballast compartment. Aluminum reflectors are available in three finishes (White, Specular & Enhanced Aluminum).

- [Overview](#)
- [Spec Sheet](#)
- [IES File](#)
- [Warranty](#)
- [Accessories](#)

SMN 1x4 Surface Mount with Acrylic Lens T5 or T8

---

#### Fixture Dimensions

12.375" x 3.75"

#### Photometry

- 2 Lamp 1X4 T8 - SMN-023204-EAN
- Efficiency: 75.1%
- 0-DEG: 1.1
- 90-DEG: 0.6
- Report Number: 01367

#### Applications

- Surface mounts
- Commercial

- Retail

#### **Benefits**

- Ideal photometry
- Up to 70% Energy Savings
- Epcor and Utility Rebates

#### **Features**

- Toolless ballast access
- 25 Year reflector warranty
- ETL Certified

#### **Design**

- Made in the USA
- Dimensions: 48.00" x 12.438" x 3.56"
- Designed for surface or pendant mount
- Hinge style door frame with swinging
- Acrylic prismatic lens, other lens available
- Sockets snap-in and twist-lock
- End mount sensors available
- Wire guard options available
- Battery back up ballast and cord options are also available

---

#### **Fixture Ordering Guide Example**

SMN-023204-EAN

**Series**

- SMN

**Lamps**

- 01 - 1 Lamp
- 02 - 2 Lamp

**Wattage**

- 17 - 17W T8
- 28 - 28W T5
- 32 - 32W T8
- 54 - 54W T5

**Length**

- 02 - 2'
- 04 - 4'

**Material**

- EA - 95% Enhanced Aluminum
- SA - 86% Specular Aluminum
- WA - 91% White Aluminum

**Power Factor**

- H - High
- N - Normal
- L - Low
- 4 - 480 Volt




P: 800-537-1629 | F: 866-390-9100

406A Dixon St. | Vidalia, GA 30474

[www.usenergysciences.com](http://www.usenergysciences.com)

**Spec Sheet:**  [uses-smn-1x4-surface-mount-t8.pdf](#)

**IES File:**  [SMN-013204-SA.IES](#)

 [SMN-023204-SA.IES](#)

**Warranty:**

- Manufacturers Warranty - 1 Year
- Enhanced Aluminum (EA) - 25 Year Warranty
- Specular Aluminum (SA) - 25 Year Warranty
- White Aluminum (WA) -10 Year Warranty
- Lamps - 2-4 Year Warranty
- Lenses - 1 Year on Manufacturing Defects
- Ballast - 5 Year Manufacturer Warranty
- Sockets - 1 Year Warranty
- Sensors - 5 Year Warranty

- Battery Backups - 1 Year Warranty
- Exit Signs - 1 Year Warranty

### **Accessories:**

- Battery Back-up: 1B or 2B
- Mounting: Y-toggle Gripple 15' (GY15)
- Sensor: Leviton (CN3)
- Lens: Prismatic (AL), Clear (CL), or Poly Carb Clear (PL)
- Cord: 6' (C06) or 10' (C10)
- Wire Guard: Drop (DWG), Flat (FWG), or Wrap (WWG)
- Lamp: GE 841 (G41)

*The accessories listed above are our standard accessories for this product. Visit our accessories or options sections of our website for additional items.*

**Source URL:** <http://www.usenergysciences.com/content/smn-1x4>